

medDispense[®] Automated Dispensing Series



Medication and Inventory Management that's
easy-to-use, easy-to-afford, not easy to be without.



TouchPoint Medical's automated dispensing systems streamline inventory and medication management, increase efficiency and help to ensure a better patient and caregiver experience. The *medDispense*® system provides the perfect combination of security, simplicity, affordability and support for acute and specialty care facilities of all sizes.

Easy-to-deploy, easy-to-use and even easier on your budget.

THE MEDDISPENSE® ADVANTAGE:

Secure 24/7 access.

Intuitive, user-friendly software.

Modular system configurable to your needs.

More affordable than typical systems.

Fast, responsive service and support.





Simplicity Advantage.



The *medDispense*® user interface is quickly learned and easy to operate – saving time and allowing you to focus on patient care. The system secures both your medications and supplies and seamlessly integrates with virtually any HL7 compliant hospital information system, automatically capturing dispensing, usage, and billing information.

(Meets all HIPAA requirements and fully ODBC compliant, it can be used with Crystal Reports.)


IT'S EASY TO OPERATE
THE VERY FIRST TIME.

2

1



SELECT PATIENT




SELECT MEDICATION

How does easy-to-use software improve efficiency and help with nurse adoption?



- Most users can be fully trained in 10-15 minutes.
- Faster access and vending times reduce time at the ADC.
- Remote features allow nurses to save time.
- Software runs quickly and reliably.
- Touchscreen interface is easy to understand.
- Allows for rapid system deployment and installation.

3



SELECT QUANTITY

4



DISPENSE MEDICATION

Affordability Advantage.



medDispense® systems provide the safety and availability of an automated dispensing solution without extra bells and whistles that increase cost and complexity.

Because the system provides full connectivity and integration with most operations software, medication use and costs are captured immediately upon dispensing, streamlining operations and improving reimbursement.



Simple. Specific. Solutions.

The *medDispense*® system is scalable to the specific needs, and budgets, of diverse healthcare facilities. Configurations may include base units, auxiliary units, accessories and software. Our solutions are scalable for a wide spectrum of care settings including: long-term care, residential treatment centers, small & large hospitals.



Single wide and double wide locking return drawers available.



How does medDispense® offer an affordable alternative to med management?

- No long-term contracts required
- Modular system to fit your needs
- Easy deployment with quick training.
- Single, dedicated med drawers reduce needless errors.
- 24/7 support for less downtime.
- Not paying for extra features you'll never use.



Base 72 with Auxillary Supply



Auxiliary Cabinet



Base 45 with Narc Storage



Supply Tower




Facility Advantage.



medDispense® systems meet the needs of the medical community, providing an affordable solution to the problem of providing secure, around-the-clock access to medications. The reasonably priced systems are about one-third less than other systems and are the ideal solution for both single installations at smaller facilities as well as multiple placements in large hospitals.


How does *medDispense*® improve the med delivery process in your hospital?

- No Improves patient care by reducing errors.
- Intuitive software increases nurse adoption.
- Boosts caregiver efficiency with features like TouchPoint Medical *NurSync*™.



New TouchPoint Medical *NurSync*™ software allows clinicians to select and remotely queue patient medications, quickly and securely from any authorized workstation. Clinicians now have enhanced control over the med management process without the hassle of making multiple trips or dealing with time-consuming ADC lines, providing more time for patient care.


Long-term benefits provide long-term savings.



How does medDispense® improve the med delivery process for long-term care facilities?

- Increases available medications on-site.
- Facilities can administer meds securely and easily 24/7
- Remote authorization ensures regulatory compliance for controlled substances.
- Improves patient care by reducing errors
- Reduces stat runs.
- Software allows remote reporting and inventory alerts.

medDispense® systems feature our remote digital authorization software that provides pharmacists 24/7 security and control over medications in long-term care facilities without being onsite. This allows them to work more efficiently, generate a stronger ROI, and improve patient care from virtually everywhere.



Support Advantage.



TouchPoint Medical understands how important uptime is to keeping clinicians efficient. So that's why we've designed service programs tailored to help you do just that.

Only TouchPoint Medical knows our products like we do, down to every bolt and screw. Only TouchPoint Medical provides you with the factory authorized parts designed to work specifically with your equipment. Your investment is too important to risk with anyone else.

Because your
investment is
too important...

Protect your investment with our Enhanced Service Program, **TouchPoint Medical™ ESPSM**

TouchPoint Medical understands how important automated dispensing is to your facility. So that's why we've designed service programs tailored to help you.



Design &
Layout

Installation &
Deployment

Ongoing
Support

Extended
Warranty

Upgrades &
Retrofits

TouchPoint
Medical™ Advance



Time is money...

TouchPoint Medical has created a seamless process designed to get you up and running as quickly as possible. Certified technicians and professional support ensure proper installation of all your critical components and training of your staff.



TouchPoint
Medical™ Care



Your focus should be on your patients, not your software...

Premium access to our technical support resources provides you with the peace-of-mind that your systems will continually be updated with the latest bug fixes and patches. It's an unbeatable advantage.



Do you have questions?

Customer Support:

1-800-947-3901

www.touchpointmed.com

Fast. Responsive. Courteous Service.

TouchPoint Medical is committed to providing the best customer experience possible. Whether you have one piece of equipment or a few hundred, we understand how critical each component can be to your hospital. TouchPoint Medical has the knowledge, tools and hands-on expertise to support your service needs and protect your technology investment.

Base Units



Product	Base 25 Mini Supply	
Unit Dimensions	Inches (W) 21.25 in (D) 22.87 in (H) 56 in Keyboard height = 42.5 in	Metric (W) 53.97 cm (D) 58.08 cm (H) 142.24 cm Keyboard height = 107.95 cm
Weight	233 lbs	106 kg
Data Requirements	Standard RJ45 network receptacle (Category 5 cabling – 8 wire, 4 pair)	
Power Requirements	120 volt AC Minimum 10 amp receptacle (red plug preferred). Configurable for 230 volt AC, minimum 5 amp service, use IEC-320 type C13 cord set.	
Description	The Base 25 Mini Supply has 25 standard drawers on top and 1.5 cubic feet (.04 cubic meters) of bulk storage space on the bottom of the unit. Each drawer is configurable to store up to six different floor stock medications or one narcotic (for safety purposes) per drawer.	



Product	Base 45	
Unit Dimensions	Inches (W) 21.25 in (D) 22.87 in (H) 56 in Keyboard height = 42.5 in	Metric (W) 53.97 cm (D) 58.08 cm (H) 142.24 cm Keyboard height = 107.95 cm
Weight	308 lbs	140 kg
Data Requirements	Standard RJ45 network receptacle (Category 5 cabling – 8 wire, 4 pair)	
Power Requirements	120 volt AC Minimum 10 amp receptacle (red plug preferred). Configurable for 230 volt AC, minimum 5 amp service, use IEC-320 type C13 cord set.	
Description	A Base 45 unit contains 45 standard drawers. Each drawer is configurable to store up to six different floor stock medications or one narcotic (for safety purposes) per drawer.	



Product	Base Supply 2-door	
Unit Dimensions	Inches (W) 21.25 in (D) 22.87 in (H) 56 in Keyboard height = 42.5 in	Metric (W) 53.97 cm (D) 58.08 cm (H) 142.24 cm Keyboard height = 107.95 cm
Weight	239 lbs	108 kg
Data Requirements	Standard RJ45 network receptacle (Category 5 cabling – 8 wire, 4 pair)	
Power Requirements	120 volt AC Minimum 10 amp receptacle (red plug preferred). Configurable for 230 volt AC, minimum 5 amp service, use IEC-320 type C13 cord set.	
Description	The Base 25 Mini Supply 2-door has 4 sliding shelves with 3 cubic feet (.08 cubic meters) of bulk storage space. Base Units	



Product	Base 72	
Unit Dimensions	Inches (W) 32.25 in (D) 22.87 in (H) 56 in Keyboard height = 42.5 in	Metric (W) 81.91 cm (D) 58.08 cm (H) 142.24 cm Keyboard height = 107.95 cm
Weight	442 lbs	200 kg
Data Requirements	Standard RJ45 network receptacle (Category 5 cabling – 8 wire, 4 pair)	
Power Requirements	120 volt AC Minimum 10 amp receptacle (red plug preferred). Configurable for 230 volt AC, minimum 5 amp service, use IEC-320 type C13 cord set.	
Description	A Base 72 unit contains 72 standard drawers. Each drawer is configurable to store up to six different floor stock medications or one narcotic (for safety purposes) per drawer.	



Product	Controller Unit	
Unit Dimensions	Inches (W) 21.25 in (D) 18.5 in (H) 26.25 in	Metric (W) 53.97 cm (D) 46.99 cm (H) 66.67 cm
Weight	74 lbs	33 kg
Description	Can be used to operate any Auxiliary Unit(s).	

Auxillary Equipment



Product	Combo Tower	
Unit Dimensions	Top supply cabinet: Inches (W) 21.25 in (D) 20.12 in (H) 67.75 in	Top supply cabinet: Metric (W) 53.97 cm (D) 51.11 cm (H) 172.08 cm
Weight	355 lbs	161 kg
Data Requirements	Not required (direct connectivity to base unit)	
Power Requirements	No external power needed (power supplied by base unit)	
Description	The Combo Tower has 45 drawers on the bottom with the drawer dimensions the same as Base Unit 45. The top 4-shelf supply cabinet has a storage capacity of 5.6 cubic feet (0.16 cubic meters).	



Product	2-door Supply Tower	
Unit Dimensions	Top supply cabinet: Inches (W) 21.25 in (D) 20.12 in (H) 67.75 in	Top supply cabinet: Metric (W) 53.97 cm (D) 51.11 cm (H) 172.08 cm
Weight	203 lbs	92 kg
Data Requirements	Not required (direct connectivity to base unit)	
Power Requirements	No external power needed (power supplied by base unit)	
Description	The Supply Tower has top and bottom doors with six sliding shelves and has a storage capacity of 11.2 cubic feet (0.32 cubic meters).	



Product	2-door Combo Tower	
Unit Dimensions	Top supply cabinet: Inches (W) 21.25 in (D) 20.12 in (H) 67.75 in	Top supply cabinet: Metric (W) 53.97 cm (D) 51.11 cm (H) 172.08 cm
Weight	355 lbs	161 kg
Data Requirements	Not required (direct connectivity to base unit)	
Power Requirements	No external power needed (power supplied by base unit)	
Description	The Combo Tower has 45 drawers on the bottom with the drawer dimensions the same as Base Unit 45. The top 2-door /4-shelf supply cabinet has a storage capacity of 5.6 cubic feet (0.16 cubic meters).	



Product	4-door Supply Tower	
Unit Dimensions	Top supply cabinet: Inches (W) 21.25 in (D) 20.12 in (H) 67.75 in	Top supply cabinet: Metric (W) 53.97 cm (D) 51.11 cm (H) 172.08 cm
Weight	204 lbs	93 kg
Data Requirements	Not required (direct connectivity to base unit)	
Power Requirements	No external power needed (power supplied by base unit)	
Description	The Supply Tower has 2 top and 2 bottom doors with six sliding shelves and has a storage capacity of 11.2 cubic feet (0.32 cubic meters).	



Product	Narc Storage	
Unit Dimensions	Top supply cabinet: Inches (W) 21.25 in (D) 20.12 in (H) 67.75 in	Top supply cabinet: Metric (W) 53.97 cm (D) 51.11 cm (H) 172.08 cm
Weight	210 lbs	95.25 kg
Data Requirements	Not required (direct connectivity to base unit)	
Power Requirements	No external power needed (power supplied by base unit)	
Description	The Narc Storage Supply Tower has solid top and bottom doors with six sliding shelves and has a storage capacity of 11.2 cubic feet (0.32 cubic meters).	



Product	Auxiliary Supply	
Unit Dimensions	Inches (W) 21.25 in (D) 20.12 in (H) 37 in	Metric (W) 53.97 cm (D) 51.11 cm (H) 93.98 cm
Weight	157 lbs	70 kg
Description	5.6 cubic feet (0.16 cubic meters) of shelved bulk space.	



Product	Auxiliary Cabinet	
Unit Dimensions	Inches (W) 21.25 in (D) 20.12 in (H) 37 in	Metric (W) 53.97 cm (D) 51.11 cm (H) 93.98 cm
Weight	256 lbs	116 kg
Description	Cabinet with 45 drawers to be used with a base unit.	



Product	Standard Width Return Drawers	
Unit Dimensions	Inches (W) 3.5 in (D) 12 in (H) 2 in	Metric (W) 8.89 cm (D) 30.48 cm (H) 5.08 cm
Weight	1.40 lbs	0.64 kg



Product	Double Width Return Drawers	
Unit Dimensions	Inches (W) 7.5 in (D) 12 in (H) 2 in	Metric (W) 19.05 cm (D) 30.48 cm (H) 5.08 cm
Weight	2.25 lbs	1.02 kg

Accessories



Product	Bar Code Reader	
Weight	21.5 ounces	670 grams
Description	Omni-directional scanning barcode reader supports 1D and 2D symbologies. Includes intuitive five-dot laser aiming, utilizes USB, RS-232 and Wedge Emulation.	



Product	Finger Print Scanner	
Unit Dimensions	Inches (W) 1.87 in (D) 3.25 in (H) 0.75 in	Metric (W) 4.74 cm (D) 8.25 cm (H) 1.9 cm
Description	Features small form factor with excellent image quality. Includes encrypted fingerprint data and latent and counterfeit print rejection. Works well with dry, moist or rough fingerprints.	



Product	Refrigerator Lock	
Unit Dimensions	Inches (W) 3.62 in (D) 8 in (H) 3 in	Metric (W) 9.2 cm (D) 20.3 cm (H) 7.6 cm
Weight	3 lbs	1.3 kg
Other	This lock can be cabled to base units and connected to customer-supplied refrigerators, or other items such as cabinets.	

A Global Business with a Local Touch

TouchPoint Medical brings a global network of manufacturing, quality, and engineering to the forefront of the medical industry. From quality and performance, to aesthetics and ergonomics, we know small touches make a big difference to our customers. We provide customer-driven medical technology and service solutions to thousands of hospitals and health care facilities around the world.



Global Headquarters & Americas
Customer and Technical
Support Office
Oldsmar, FL, USA
Tel: (1) 800 947 3901

European Headquarters
Customer and Technical
Support Office
Melsele, Belgium
Tel: (32) 3 568 33 00

**China, Taiwan, Japan,
Korea, Hong Kong**
Customer and Technical
Support Office
Shanghai, China
Tel: (86) 1361 1680 312

United Kingdom
Customer and Technical
Support Office
Rugby, United Kingdom
Tel: (44) (0) 844 576 1247

Middle East / Africa
Customer and Technical
Support Office
Dubai, United Arab Emirates
Tel: (971) 55 5963 092

SE Asia, AUS/NZ
Customer and Technical
Support Office
Victoria, Australia
Tel: (61) 3 9330 5050

**Norway, Sweden,
Denmark, Finland**
Customer and Technical
Support Office
Tranby, Norway
Tel: (47) 31 90 97 60

info@touchpointmed.com · touchpointmed.com

BRINGING CARE FORWARD.™